FEATURED PRODUCTS

# Wintertime Solutions

ALL THINGS INDUSTRIAL® | WINTER 2024





Call the people who know your business:

1-877-279-2799





## **Road Runner Ice Melt**



### Features:

- Effectively melts ice down to -15 °F
- · Contains calcium chloride, the fastest dry de-icer on the market
- Begins melting on contact
- · Blended to melt ice at the right price
- Needs fewer applications than rock salt
- Colorless and odorless

| Item No.  | Mfr. No. | Size<br>(lb) | Container |
|-----------|----------|--------------|-----------|
| 101824680 | 50P-RR   | 50           | Pail      |
| 101836515 | 50B-RR   | 50           | Bag       |



# **Green Scapes Ice Melt**



### Features:

- Effectively melts ice down to -10 °F
- Each granule is encapsulated with Liquid Ice Ban
- Enhanced with a green color indicator for easy application
- Requires fewer applications than rock salt
- · Safer for concrete, vegetation and pets when used correctly
- Environmentally friendly

| Item No.  | Mfr. No. | Size<br>(lb) | Container |
|-----------|----------|--------------|-----------|
| 101822560 | 50B-GS   | 50           | Bag       |



# **Industrial Blue Ice Melt**



- Effectively melts ice down to -10 °F
   Enhanced formula includes calcium chloride pellet for instant melting power
- Sprayed with a blue color indicator for easy application
   Encapsulated with SWI20 corrosion inhibitor to protect surfaces

| Item No.  | Mfr. No. | Size<br>(Ib) | Container |
|-----------|----------|--------------|-----------|
| 101822078 | 50B-IB   | 50           | Bag       |



## **Calcium Chloride Pellets**



### Features:

- Effectively melts ice down to -25 °F
- Begins melting on contact
  Quickly penetrates through frozen surfaces to undercut
- Most efficient de-icer on the market melts more so application rate is less
- Colorless and odorless

| Item No.  | Mfr. No. | Size<br>(lb) | Container |
|-----------|----------|--------------|-----------|
| 101824755 | 50B-CCP  | 50           | Bag       |



# **ICE BREAKER GREEN®**

Ice Breaker GREEN® is most effective as an ice blocker and is perfect for high-priority walkways. Its special formula stops ice, snow and frozen material from bonding to surfaces.



### Features:

- Safe on all surfaces
- One gallon covers up to 1,500 sq ft
- 90% less corrosive than salt
- · Will not track or stain

| Item No.  | Mfr. No. | Size<br>(gal) | Container |
|-----------|----------|---------------|-----------|
| 101949522 | IBG005   | 5             | Pail      |
| 101970493 | IBG055   | 55            | Drum      |
| 101461744 | IBG330   | 330           | Tote      |



# INDUSTRIES, Liquid Heat™ De-Icer

Liquid Heat is a conveyor belt de-icer that penetrates and de-ices existing snow and ice buildups. Prevents any subsequent ice and snow from adhering to conveyor belts, rollers, pulleys, idlers and more.



# Features:

- Tremendous de-icing abilityOutperforms antifreeze
- Long staying power
- Withstands temperatures to -50 °F
- · Environmentally safe

| Item No.  | Mfr. No. | Size<br>(gal) | Container |
|-----------|----------|---------------|-----------|
| 101841194 | LH005    | 5             | Pail      |
| 101841519 | LH055    | 55            | Drum      |
| 101510292 | LH330    | 330           | Tote      |





# **Ice-Off® Windshield Spray De-Icer**





# **Portable Electric Infrared Heater**




# Features:

- · Melts ice, snow and frost on contact
- · Harmless to car finish
- · Thaws frozen locks
- Effective to sub-zero temperatures

Container: Aerosol

| Item No.  | Mfr. No. | Size<br>(oz) | Net Wt.<br>(oz) |
|-----------|----------|--------------|-----------------|
| 101850702 | 05346    | 16           | 12              |





# with Lubricity





## Features:

- · Ensures fast, economical starts in cold or humid conditions
- · Contains an upper cylinder lubricant to minimize wear during cold starts
- Effective to -65 °F

Container: Aerosol

| Item No.  | Mfr. No. | Size<br>(oz) | Net Wt.<br>(oz) |
|-----------|----------|--------------|-----------------|
| 101943384 | 05671    | 16           | 11              |



# LPS MAX 2



### Features:

- Superior penetration & up to one-year indoor parts protection
- · Leaves a light non-drying film that reduces wear from friction & corrosion
- Quickly penetrates to loosen rusted or frozen parts
- Nozzle provides targeted or broad stroke application
- · Embossed can for improved hand grip
- · Locking flip straw actuator

Container: Aerosol

| Item No.  | Mfr. No. | Net Wt.<br>(oz) |
|-----------|----------|-----------------|
| 118626762 | 90216    | 11              |



# **Fan Forced Milkhouse Style Heater**



- 1.300 W and 1,500 W heat settings, plus fan-only setting
- Temperature control thermostat
- · Triple safety system: tip-over switch, automatic reset type limit control and thermal cut-off device

## Compliances:

• ETL C / U.S. listed

# Single Phase

| Cord | Length:  | 6  | f |
|------|----------|----|---|
| Cord | Type: S. | IΤ |   |

| Item No.  | Mfr. No. | Volts | BTUs  | Watts |
|-----------|----------|-------|-------|-------|
| 101642531 | 188TASA  | 120   | 5,120 | 1,500 |



Fostoria's portable infrared heater utilizes a single flat panel emitter heating element for directional and safe indoor heat, when and where you need it. No fumes, flames or fan-forced air - ideal for high bay areas! Medium-Wave infrared elements operate at 78.5% radiant efficiency and have a life expectancy of 25,000 hours!



### Features:

- · Designed for indoor & semi-protected outdoor applications
- Heats up to a 500 sq. ft. area; 9,500-Watts, 480V, generating more than 32,400 BTUs
- · Single or three-phase wiring configurations
- · Gold anodized aluminum housing, providing a 60° symmetrical heat pattern
- Made in the USA

## Single Phase

| Item No.  | Mfr. No.   | Volts | BTUs   | Watts |
|-----------|------------|-------|--------|-------|
| 112150512 | FSP-9548-3 | 480   | 32,400 | 9,500 |



## **1500 Watt Portable Electric Heater**



### Features:

- · Temperature control thermostat
- · Dual safety system has tip-over switch and manual reset type limit control
- Three heat settings
- 6' long cord

### Compliances:

• ETL C / U.S. listed

## Single Phase

| Item No.  | Mfr. No. | Volts | BTUs  | Watts             |
|-----------|----------|-------|-------|-------------------|
| 101643772 | 198TMC   | 120   | 5,120 | 1,500 / 900 / 600 |



Safe, indoor, portable heaters provide the climate control needed for interior jobs, without the threat of poisoning from combustion by-products given off by fuel / fire-type units.



# Features:

- Safety yellow heater enclosure with safety screens on both air intake and output openings
- Long life finned tubular heating elements
- Thermostat adjustment 40 °F to 100 °F
- 800 cfm 15 kW unit; 1,100 cfm 30 kW unit
- · Three-phase electrical service
- Automatic reset
- · High limit thermal cutout switch
- · Fan only switch
- 10" wheels
- · Designed for direct wire installation
- · Made in the USA

## Compliances:

• ETL C / U.S. listed

### Three Phase

| Item No.  | Mfr. No.  | Amps | Volts | kW | BTUs    | Temperature<br>Rise<br>(°F) |
|-----------|-----------|------|-------|----|---------|-----------------------------|
| 101628535 | FES15483E | 18   | 480   | 15 | 51,195  | 45                          |
| 101631819 | FES30483A | 36   | 480   | 30 | 102.390 | 90                          |

# **Warming & Protection**



# **Boss® Therm™ Heated Vest**

This lightweight vest contains heating elements located on the chest and back, warming a large surface area to promote blood circulation, relief from muscle pain, enhance metabolism and improve immunity. It is designed to be worn as a base layer over a shirt, or any thermal garment.



## Features:

- Includes durable two-way locking Velcro® straps
- · Machine washable
- Designed to endure 50+ washing cycles

- Designed to endure operated remote and initial battery
   Low, medium, high temperature ranges
   Rechargeable 5V power bank providing 8+ hours of warmth on single charge
- · One size fits most
- Additional batteries available 399-HVBAT
- Replacement remote 399-HVRE

Color: Black Material: Nylon Weight: 2.71 lb

| Item No.  | Mfr. No.  | Size     |
|-----------|-----------|----------|
| 118615797 | 300-HV100 | One Size |



# Ninja® Ice HPT Coated Gloves

Ninja® gloves are engineered to provide the highest level of innovation. Each of the offerings in the Ninja® series includes a unique shell and polymer combination incorporating the latest in hand protection technology. This Ninja® glove line offers the greatest assortment of dexterity, sense of touch and protection.



- Acrylic terry liner for insulation / warmth
- HPT repels liquids while providing strong wet or dry grip
- Coating remains soft in temperatures as low as -58 °F
- CE score 3232

Material: Nylon / Acrylic Linina: Acrylic Terry Coating: Black HPT Coated

|          | Coated Palm |          | Fully Coated |            |
|----------|-------------|----------|--------------|------------|
| Size     | Item No.    | Mfr. No. | Item No.     | Mfr. No.   |
| Medium   | 111185955   | N9690M   | 111185996    | N9690FCM   |
| Large    | 111185956   | N9690L   | 101676347    | N9690FCL   |
| 2X-Large | 111185952   | N9690XXL | 111186012    | N9690FCXXL |



# **PIP Disposable Facemask**



## Features:

- Pleated style with ear loops
- 3-ply construction
- Bacterial Filter Efficiency (BFE) 99%
- Latex-free & hypoallergenic
- Adjustable nose clip
- One size fits most
- 50 facemasks per box

| Item No.  | Mfr. No. | Color      | UOM |
|-----------|----------|------------|-----|
| 105359165 | 270-4000 | Light Blue | Box |



# **PowerGrab™ Thermo Hi-Vis Seamless Knit Acrylic Terry Glove with Latex** MicroFinish Grip on Palm & Fingers

### Features:

- · Seamless construction for a comfortable fit
- Acrylic gloves provide economical cold weather protection
- · Latex MicroFinish coating provides a superior grip in dry and wet conditions by reacting like tiny suction cups that attach themselves firmly to the material being handled
- Knit wrist helps prevent dirt & debris from entering the glove
   Hi-Vis coloring makes this product very easy to see
- Excellent thermal insulation

| Performance Data |        |  |  |  |
|------------------|--------|--|--|--|
| ANSI Cut Level:  | A2     |  |  |  |
| EN407            | X2XXXX |  |  |  |
| EN511            | X10    |  |  |  |

| Item No.  | Mfr. No.    | Size | UOM  |
|-----------|-------------|------|------|
| 111676867 | 41-1400/M   | M    | Pair |
| 111676866 | 41-1400/L   | L    | Pair |
| 111676869 | 41-1400/XL  | XL   | Pair |
| 111676870 | 41-1400/XXL | XXL  | Pair |



# Disposable Nitrile Glove, Powder-Free with Textured Grip



- · 4 mil thickness,100 gloves per box
- Economical puncture resistance with great comfort, dexterity and tactile sensitivity
- Textured grip provides a good grip in wet or dry environments
- Ambidextrous
- Powder-free for clean comfort and superior tactile sensitivity
- Contains no natural rubber latex proteins
- · Complies with FDA food handling requirements 21 CFR 177.2600
- Industry grade for non-medical use

| Item No.  | Mfr. No.    | Size | Color | UOM |
|-----------|-------------|------|-------|-----|
| 111660259 | 63-532PF/S  | S    | Blue  | Box |
| 111660260 | 63-532PF/M  | M    | Blue  | Box |
| 111660261 | 63-532PF/L  | L    | Blue  | Box |
| 111660228 | 63-532PF/XL | XL   | Blue  | Box |



# **ANSI Type R Class 3 Soft Shell Jacket**



- · Water-resistant fabric with breathable membrane
- 8.85 oz polyester fleece
- Zipper closure
- · Two waist pockets with zipper closure
- Chest pocket with waterproof zipper
- 2" segmented reflective tape
- 50+ UPF sun protection

| Item No.  | Mfr. No.          | Size |
|-----------|-------------------|------|
| 119572993 | 333M6979T-YEL/L   | L    |
| 119572996 | 333M6979T-YEL/XL  | XL   |
| 119572990 | 333M6979T-YEL/2XL | 2XL  |

# **Warming & Protection**



## **ANSI Type R Class 3 Reversible** Puffer Jacket

## Features:

- Durable waterproof 300D polyester oxford shell with PU coating
- · Quilted with polyester wadding for added warmth
- Reversible to black
- · Two front waist inseam pockets and two hand warmer pockets on reverse side
- 2" reflective tape
- 50+ UPF sun protection

| Item No.  | Mfr. No.          | Size |
|-----------|-------------------|------|
| 119572979 | 333M6350H-YEL/L   | L    |
| 119572982 | 333M6350H-YEL/XL  | XL   |
| 119572976 | 333M6350H-YEL/2XL | 2XL  |



# **ANSI Type R Class 3 Full Zip Hooded** Sweatshirt with Black Bottom

- 10 oz polyester fleece
- Zipper closure
- · Water-repellent shell treatment
- 2" silver reflective tape
- Black bottom and cuffs to help hide dirt
- Front hand warmer pockets
- · One left zippered chest pocket

| Item No.  | Mfr. No.         | Size |
|-----------|------------------|------|
| 112054644 | 323-1370B-LY/L   | L    |
| 112428875 | 323-1370B-LY/XL  | XL   |
| 113044375 | 323-1370B-LY/2XL | 2XL  |



# Zip On / Off Winter Liner with FR Treated Outer Shell




### Features:

- Two layers cotton twill / acrylic
- · Flame-retardant treatment on outer shell, up to ten washes
- Zip on / off extended neck cover
- · One size fits most

| Item No.  | Mfr. No. | Color     |
|-----------|----------|-----------|
| 105364186 | 365-1620 | Navy Blue |
|           |          |           |



# N-Ferno® Hand, Body & Foot





- . To activate, just open the pack
- · All-natural ingredients heat up when they contact oxygen
- Hand & body styles warm up to twelve hours
- · Foot style warms up to eight hours

| Item No.  | Mfr. No. | Warming Hours  | Style | UOM  | Pkg. Qty. |
|-----------|----------|----------------|-------|------|-----------|
| 101609343 | 16990    | Up to 12 Hours | Hand  | Pair | 40        |
| 113907344 | 16995    | Up to 8 Hours  | Foot  | Pair | 20        |
| 118794691 | 16997    | Up to 12 Hours | Body  | Each | 40        |



# Thermal EXO Dual Layer Balaclava

### Features:

- Solar-activated, dual-layer balaclava provides form-fitting comfort and protection from extreme weather conditions. sealing out the cold, wind and snow
- Soft, breathable mesh inner layer, nylon / spandex outer layer
- Dual functionality, combine both face layers in cold climates or pull the outer layer down exposing the inner layer when less insulation is required
- Wear as a ski mask, neck gaiter or a full-face mask
- · Machine washable

| Item No.  | Mfr. No. | Color | UOM  |
|-----------|----------|-------|------|
| 117373490 | 364-1195 | Black | Each |



# 2-Layer Cotton Twill / Fleece Winter **Liner with FR Treated Outer Shell**



Mid-Length





Shoulder-Length

# Features:

- Two-layer cotton twill / fleece
- · Flame-retardant treatment on outer shell (one wash)
- · Insulated ear barrier
- · Navy blue with silver reflective strip
- One size fits most

| Item No.  | Mfr. No.   | Туре               |
|-----------|------------|--------------------|
| 110482502 | 363-1ML2FB | Mid-Length         |
| 110482505 | 363-1SL2FB | Shoulder-Length    |
| 110402000 | 303-13LZFB | Siloulder-Leligili |



# Winter Beanie Cap with LED Light



### Features:

- 100% acrylic winter beanie hat
- LED light 300 lumens of power & rechargeable by USB
- Available in 3 different colors: Gray, Hi-Vis Orange & Hi-Vis Yellow
- One size fits most

| Item No.  | Mfr. No.   | Color         |
|-----------|------------|---------------|
| 120837764 | 360-LED-GR | Gray          |
| 120837765 | 360-LED-LY | Hi-Vis Yellow |
| 120837766 | 360-LFD-0B | Hi-Vis Orange |





# N-Ferno® 6821 Balaclava

# Features:

- 320 grams polyester fleece for warmth in extreme conditions
- · Reflective accent for higher visibility



Color: Black Material: Polyester

| Item No.  | Mfr. No. |
|-----------|----------|
| 101614639 | 16821    |



# Lighting & Maintenance



# Enduro® Pro Low Profile, High Performance. Multi-Function Headlamp

A low-profile multi-function headlamp featuring three lighting modes to cover a variety of tasks: spot beam for a focused beam, flood for soft area illumination that won't tire your eyes and red or green LEDs to preserve night vision.



### Features:

- Uses 3 "AAA" alkaline batteries (included)
- High: 200 lumens; runs six hours
- IPX4 water-resistant; 2m impact resistance tested

| Item No.  | Mfr. No. | Battery Size | Bulb |
|-----------|----------|--------------|------|
| 113764155 | 61422    | AAA          | LED  |



# Bandit® Ultra-Compact, Low-Profile **USB Rechargeable Headlamp**

The Bandit - a lightweight, low-profile headlamp designed just for you! It is USB rechargeable and provides 180 lumens of widespread white light.



### Features:

- · White LED with high, low, and emergency flash
- High: 180 lumens; runs two hours
- IPX4 weather-resistant; 2m impact resistance tested

| Item No.  | Mfr. No. | Bulb |
|-----------|----------|------|
| 113821421 | 61703    | LED  |



# DUALIE® 3AA Intrinsically Safe, Multi-Function Flashlight



- Three output modes: Spot, flood, both (spot and flood simultaneously):
  - » Spot: 140 lumens; 7,300 candela; 171m beam distance; runs 18 hours
  - » Flood: 140 lumens; 80 candela; 18m beam distance; runs 18 hours
  - » Simultaneous spot beam and flood beam: 245 lumens; runs nine hours
- · Spot beam utilizes smooth parabolic reflector for tight beam with optimum peripheral illumination
- Flood beam produces a soft, wide beam to illuminate your work area
  • Uses 3 "AA" alkaline batteries (included)

| Item No.  | Mfr. No. | Battery Size | Bulb |
|-----------|----------|--------------|------|
| 112971672 | 68750    | AA           | LED  |



# **STYLUS® PRO Alkaline Battery-Powered Pen Light**



### Features:

- · White LED produces 100 lumens; 950 candela; 62m beam; runs eight hours
- IPX4 water-resistant; 2m impact resistance tested
- · About the size of a marker, it fits conveniently in
- your pocket 5.3" (134 mm); 1.64 oz. (46.9 g)
   Uses 2 "AAA" alkaline batteries (included)

| Item No.  | Mfr. No. | Battery Size | Bulb |
|-----------|----------|--------------|------|
| 104480953 | 66118    | AAA          | LED  |



# Waypoint® 400 Rechargeable

The lightweight, rechargeable Waypoint® 400 shines bright, producing 1,400 lumens with a far-reaching 1,265-meter beam. Its portability and long run time make it perfect for a variety of applications. Floats if dropped into water.



### Features:

- Pistol-grip spotlight with three modes:
  - » High: 1,400 lumens; 400,000 candela; 1,265m beam; runs 3.25 hours » Medium: 600 lumens; 165,000 candela; 812m beam; runs 7.5 hours
- » Low: 38 lumens; 10,000 candela; 200m beam; runs 84 hours
- · Weight-balanced design & cushioned grip handle for a comfortable hold
- Trigger-style switch for easy momentary & constant on operation
- · Powered by a rechargeable lithium-ion battery; fully recharges in four hours
- · Charge indicator LED: Red Charging; Green Charged
- · High-impact polycarbonate housing; rubberized lens ring
- IPX8 waterproof to 2 meters; 1-meter impact-resistance tested
- · Integrated stand for hands-free scene lighting
- · Includes adjustable lanyard

| Item No.  | Mfr. No. | Battery     |
|-----------|----------|-------------|
| 111028778 | 44910    | Lithium-Ion |







- Designed for long-lasting performance in the widest range of device applications
- Broadest range of primary cell types and package configurations
- 6V / 9V have a five-vear shelf life and AA / AAA / C / D have a ten-year shelf life
- No added mercury
- An environmentally responsible battery that can be disposed of with regular trash
- · Does not contain any ozone-depleting substances

| Item No.  | Mfr. No. | Cell Type | Voltage | Pkg. Qty. |
|-----------|----------|-----------|---------|-----------|
| 102185916 | EN92     | AAA       | 1.5     | 24        |
| 102155951 | EN91     | AA        | 1.5     | 24        |
| 102185917 | EN93     | С         | 1.5     | 12        |
| 102167621 | EN95     | D         | 1.5     | 12        |



# Southwire<sup>®</sup> Polar | Solar<sup>®</sup> Outdoor Extension Cord



## Features:

- Reinforced blades help prevent accidental bending or breaking
- Heavy-duty strain relief protects electrical connections, resulting in longer cord life
- Outer jacket is flame retardant & water resistant
- · Lightweight & stays flexible to -67 °F
- Power indicator light in the female receptacle to show that the power is on

|  | Color: Yellow<br>Cord Type: SJEOW |
|--|-----------------------------------|
|  |                                   |
|  | L Al-                             |

**Amps**: 15A

| Mfr. No.  | AWG       | Length<br>(ft) |
|-----------|-----------|----------------|
| 172-01687 | 12/3      | 25             |
| 172-01688 | 12/3      | 50             |
|           | 172-01687 | 172-01687 12/3 |





# RMU2040 Two-Way Radio



Motorola RM Series two-way radios have the business smarts to help people work better together - coordinating resources at the construction site or monitoring production on the manufacturing line. They come with the right credentials to give business the competitive edge: exceptional quality, affordability and durability to outlast high noise, tough conditions and hard use.

### Features:

- 2 watt / 4 channel UHF radio
- Covers up to 250,000 sq. ft. indoors
- Up to 15 hours of battery life
- Mil-Spec C,D,E,F,G and IP54 / 55 rated
- · Two-year over-the-counter exchange warranty

| Item No.  | Mfr. No. | Battery     |
|-----------|----------|-------------|
| 110305074 | RMU2040  | 3.7V Li-Ion |



# CP100D-UA Two-Way Radio

The CP100D Series is a rugged and dependable everyday radio for professionals wanting to communicate with greater ease and efficiency.

- · 4 watt / 16 channel UHF Analog only radio
- Replaces the old RDU4100 series
- Programmed to RDU4100 frequencies out of the box
- Covers up to 300,000 sq. ft. indoors
- Up to 11 hours of battery life
  Mil-Spec C,D,E,F,G and IP54 rated

- Three-year repair warrantyMotorola # AAH87YDC9JC2AN

| Item No.  | Mfr. No.  | Battery         |
|-----------|-----------|-----------------|
| 118953196 | CP100D-UA | Li-Ion 1700 mAh |













### Features:

- · Exceeds FDA healthcare personnel handwash requirements with just 1.1 mL of product, or a single pump
- Kills 99.99% of germs that may cause illness while remaining gentle on hands
- Made with high-quality ethyl alcohol produced in the USA
- . Manufactured according to strict FDA safety & quality standards
- Formula meets USDA Certified Biobased Product Standards for hand cleaners & is Cradle to Cradle
- · Made with easily recyclable plastic components

| Item No.  | Mfr. No. | Description         |
|-----------|----------|---------------------|
| 105203285 | 3659-12  | 12 oz Pump          |
| 120589512 | 8353-02  | 1200 mL Cartridge   |
| 120589504 | 8324-E1  | Sanitizer Dispenser |



## Kleenex® Facial Tissue

### Features:

- · Soft, absorbent facial tissue
- · Ideal tissue performance with attractive packaging & easy maintenance
- FSC certified
- Boxes have a signal feature that alerts you when it is time to

| Item No. | Mfr. No. | Description   |
|----------|----------|---------------|
| 11890497 | 21400    | 100 Count Box |



# AgroBac™ PURE FOAM Wash

E2 Rated Antimicrobial Foam Hand Soap for Food Handling.



### Features:

- Antimicrobial foam hand soap with benzalkonium chloride to clean the hands and kill many common foodborne pathogens when used as directed
- · Perfume-free and dve-free
- Reduced transient bacteria on the hands from touching contaminated surfaces
- Can save up to 45% on water consumption compared to lotion soaps
- · Hygienic, ultrasonically sealed cartridges to prevent product contamination
- Skin hypoallergenic
- · Contains skin moisturizer

### Applications:

• For general use and hygienic handwashing in food processing & catering environments, or any other workplace or public facility where a high standard of hand hygiene is required

| Item No.  | Mfr. No. | Description                        |
|-----------|----------|------------------------------------|
| 114610813 | AGB1L    | 1L Cartridge                       |
| 114610814 | AGB2LT   | 2L Cartridge                       |
| 114609962 | AGB120TF | 1.2L TouchFREE Dispenser Cartridge |



# **Cleanse Antimicrobial Dispensers**



- · For use in the industrial, commercial, healthcare and food service/processing markets
- Dispenser available in 1L & 2L options
  BioCote® Protected\* Dispenser buttons are exclusively protected with BioCote® a silver-based antimicrobial agent that is incorporated into plastic components at the time of manufacture and inhibits the growth of a broad spectrum of bacteria and molds; BioCote® will not wear out or rub off and is effective for the lifetime of the dispenser hutton
- Unique locking mechanism
- · Guaranteed for life



# **TouchFREE Ultra Dispenser**

- Compact designed, power efficient touch-free dispensing system for use with SCJ Professional 1- & 1.2-liter foaming hand hygiene products
- Exceptionally long battery life of up to five years
- Unique locking mechanism
  Compact & ADA compliant
- · Lifetime warranty

| Item No.  | Mfr. No. | Description                               |
|-----------|----------|---|
| 111794280 | ANT1LDS  | 1L Cartridge Dispenser                    |
| 111794281 | ANT2LDP  | 2L Cartridge Dispenser                    |
| 111421685 | TF2WHI   | TouchFREE Ultra Dispenser W/Battery White |

<sup>\*</sup> BioCote® is a registered trademark of Biocote Limited.





# **Clorox® Disinfectant Wipes**

### Features:

- One-step cleaning and disinfecting
- Bleach-free formula kills 99.9% of bacteria, including staph and salmonella



| Item No.  | Mfr. No.   | Description |
|-----------|------------|-------------|
| 101680797 | CL015949CT | Canister    |



# Scrubbing Bubbles® Multi-Purpose Disinfectant Spray

### Features:

- Kills 99.9% of viruses†† and bacteria† on hard, non-porous surfaces
- Kills SARS-CoV-2 on hard, non-porous surfaces
- Temporarily reduces odor-causing airborne bacteria and neutralizes their odors
- Inhibits mold and mildew on hard, non-porous surfaces
- Sanitizes hard, non-porous surfaces in 30 seconds
- · Disinfects and deodorizes



- Use this spray to disinfect & sanitize surfaces such as doorknobs & garbage cans
- Fights odors & inhibits mildew

Bacteria†: Staphylococcus aureus (Staph), Salmonella enterica, Listeria monocytogenes, Enterococcus faecalis, Escherichia coli (E. coli), Enterobacter aerogenes, Campylobacter jejuni, Pseudomonas aeruginosa.

Viruses††: Rotavirus, Respiratory Syncytial Virus, Influenza A (flu virus), Herpes Simplex Virus Types 1 and 2, Human Coronavirus, Parainfluenza A Virus Type 3, SARS-CoV-2.

Fungi: Trichophyton interdigitale (fungus that causes athlete's foot).

| Item No.  | Mfr. No. | Description            |
|-----------|----------|------------------------|
| 119433801 | 613104   | 12 oz Can (Case of 12) |

Use pesticides safely. Always read label and product information before use.



# TruShot 2.0® Multi-Surface Cleaner & Disinfectant

Part of TruShot 2.0® Mobile Dispensing System.



### Features

- Multi-Surface Cleaner & Disinfectant can be used on washable hard, non-porous surfaces of toilets, tubs, tile, walls, doorknobs, garbage cans, exterior appliances, tables, chairs, desks, and countertops
- Effective against a broad spectrum of bacteria, viruses, fungi and inhibits the growth of mold and mildew
- Sanitizes 99.9% of bacteria in 15 seconds on hard, non-porous, non-food contact surfaces
- Portable, no-spill, 9 fl. oz. cartridge
- Delivers up to 28 in-use quarts
- Requires no mixing, measuring or stopping
- Pre-labeled cartridges ensure you comply with OSHA workplace labeling compliance
- Use with the TruShot 2.0® Trigger Dispenser item #311981



# TruShot 2.0® Trigger Dispenser

### Features:

- Use with TruShot 2.0® 9 fl. oz. concentrated cartridges
- Patented trigger provides optimized dilutions of TruShot 2.0® concentrated chemistries
- This rugged dispenser withstands repeated 6 ft. drops
- Trigger has been tested to last up to 250,000 pulls
- The onboard water reservoir holds 10 fl. oz. and lasts 300 trigger pulls before refilling
- Portable, lightweight, and comfortable

| Item No.  | Mfr. No. | Description               |
|-----------|----------|---------------------------|
| 118666364 | 311981   | Trushot 2.0 Trigger Spray |
| 121057852 | 379850   | 9 oz Concentrate          |

# **Our Valued Wintertime Solutions Partners**



































Contact Your Local Applied® Service Center 877-279-2799



DISCLAIMER: The above content is provided by the supplier. Applied acord guarantee the accuracy or timeliness of the content. The above content is provided "AS IS", AND ANY AND ALL EXPRESS AND IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS ARE HEREBY EXCLUDED. All warranties, if any, are solely from the supplier.